

Inspiring Great Spaces®




PRIME HARVEST®

CLASSIC AMERICAN HARDWOOD

Long live imperfection in the living room


Nothing as beautiful as old, authentic floors that reflect the soul of a majestic home. Those 'floors with character' are magnificent, though they often involve irregularities and other shortcomings by age. Therefore parquet specialist Fedyk launches the Classic and Village collections: wooden floors with a weathered look, but with the comfort and the possibilities of a brand new parquet.





Rustic oiled parquet has again become one of the bestsellers and complements both contemporary and classic interiors. Knots, cracks and scratches on the surface are no longer eliminated. On the contrary, they are retained and even accentuated to create a characterful room.

Parquet specialist Fedyk keeps up with this trend and creates the Classic and Village collections. Both lines bring authentic looking boards. Original floors from an old farmhouse that stood empty for fifty years, but brand new!




THE VILLAGE-COLLECTION

The rustic oak planks of Fedyk's Village collection are manually distressed. These are treated with oxidative Woca-oil on the surface and in the V-groove. The planks are finished in different layers which creates a deep and weathered effect. The result is a high quality oiled finish that penetrates deep into the pores and emphasizes the natural character of the wood. Knots and cracks remain partially open to maintain the authentic result. The Woca oil guarantees quality and easy maintenance.



Knots, cracks and scratches on the surface are no longer eliminated, but accentuated



THE CLASSIC-COLLECTION

The planks from the Classic Collection are less distressed and more subtle than those of the Village Collection because they didn't undergo an aging treatment. However, the collection looks very characteristic and it was a deliberate choice to fill the knots and cracks partially - but enough to ensure a reliable product. The planks and - especially - the knots have a typical, weathered look which can't be obtained by mechanical operations. Fedyk is convinced that real craftsmanship is the main key to obtain such results. The finish of the Classic collection is carefully done in different layers with Woca with oil.



TECHNICAL

- » Both the Classic and Village collections can be combined with underfloor heating.
- » Fedyk advises a glued down installation for both with the Fedyk Power Glue.
- » Matching skirting boards and profiles are available for both collections.
- » Maintenance is possible using Woca soaps, simply add the product to the cleaning water.

Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS

Mob: 0788 632 0292
Tel: 0208 599 2625


fedyktrade@gmail.com
www.fedyktrade.co.uk



Modern oak parquet with an excellent grading

The Castle collection is an oak parquet with a premium wood selection: knots and white wood are very rare. This sleek parquet floor suits both modern and classic interiors. The application of the parquet oil is done in a very intensive and artisanal way. The result is a qualitative top flooring...





FLOUR WITHOUT KNOTS

The boards for this collection are carefully selected: only oak without knots is permitted. The surface is lightly brushed in order to obtain a good absorption of the oil and a beautiful even colour.

OXIDATIVE OILED PARQUET

The application of the parquet oil happens in an artisanal way. Every board is manually oiled with a quality parquet oil. In order to achieve the look of an authentic oiled parquet, the oil is applied and afterwards wiped off until there is an optimum saturation of the wood fibres. In order to fix the colour, the boards are placed in the drying racks for 5 days, where they have the time to dry on completely natural way. The result is a board with pronounced wood grains, both in light and dark colours.

GLUE DOWN INSTALLATION

We recommend to install this tongue and groove flooring glue down. It is suitable for installation on underfloor heating systems. A glue down installation ensures optimal heat transfer from the heating system and also reduces running noise.

The Castle collection is available in nine colours: Cotton White, Havana, Titanium, Natural, Slate, Smoke, Charcoal, Pure, Silver Grey.

TECHNICAL INFORMATION

- » 190 x 630-1860 x 14 (3,5)mm
- » Three-layer parquet
- » Tongue and groove
- » Glued installation
- » Suitable for underfloor heating
- » Oxidative oiled
- » Easy maintenance with Woca Natural Soap and Woca Oil Conditioner

Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS


Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk



Natural elegance that lifts your interior to a higher level ...

To describe the Extra-Wide collection in one word is easy: *'Excellent'*. The top layer, the birch plywood support as the complex warm colors are of a very high level. This grandeur is accentuated by the extra wide (22 cm or 26 cm) boards and lengths of up to 2,5m





FLOOR OF TOP LEVEL

Everything about this oak parquet is top quality: the birch plywood support, the beautiful wood selection and the high quality oil finish. The Extra-Wide collection is simply a unique wooden floor. This parquet distinguishes itself through its remarkable dimensions. The boards have a length up to 2,5 m in combination with the width of 22 cm or even 26 cm results in an impressive floor.

COMPLEX WARM COLORS

The parquet oil is applied in a traditional way in multiple layers: each board receives a manual treatment with high quality oil. The boards dry slowly during 5 days in drying racks. The result is an optimal saturated wood fiber and outstanding colors.

GLUE DOWN INSTALLATION

These long parquet boards are equipped with a tongue and groove system and are require a glued installation. Extra-Wide is extremely suitable for the installation on underfloor heating, the birch plywood guarantees optimal stability.

The Extra-Wide collection is available in six colors: Villa, Soft Elegance, Boutique, Loft, Landhouse and Charcoal.



Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS

Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk

TECHNICAL INFORMATION

- » 220 of 260 x 1500-2500 x 15 (4)mm
- » Multilayer parquet
- » Birch plywood carrier
- » Tongue and groove
- » Suitable for underfloor heating
- » Glue down installation
- » Oxidative oiled
- » Easy maintenance with Woca Natural Soap and Woca Oil Conditioner



The beauty of imperfection

A wooden floor doesn't need to be perfect, on the contrary. Dark knots and cracks in the surface provide a unique pattern and an optimal contrast with the lighter wood colors. These natural imperfections add character to this parquet.





BUDGET-FRIENDLY OILED PARQUET

Farm is a pronounced rustic oak flooring with an oil finish. This finish protects your floor against wear and dirt. The knots and cracks in the oak surface are very pronounced due to the filling with black wood filler.

This three-layer parquet is available at an affordable price.



QUICK INSTALLATION

The installation of this flooring is fast and easy thanks to the click system. The boards are clicked together and installed floated on an underlay. This flooring is suitable for installation on underfloor heating.

The Farm collection is available in three colors: Candy, Crystal and Natural.

TECHNICAL INFORMATION

- » 190 x 630-1860 x 14 (3)mm
- » Floating installation
- » Suitable for underfloor heating
- » Easy maintenance with Woca Natural Soap and Woca Oil Conditioner

Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS


Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk



Parquet with click system, perfect for DIY

The wide and long planks of the London collection can simply be clicked together. The Drop Lock click system is designed for easy installation: the boards can be fixed with a gentle tap. The oak parquet is finished with a matt Bona varnish.






BALANCED COLOUR SELECTION

The colour range of the London collection is composed of light and dark colours and a grey shade. Each of these colours create a specific atmosphere in the interior. The boards are lightly polished and the wood selection is slightly rustic with occasionally knots and some colour variations.

LACQUER WITH AN OIL APPEARANCE

This oak parquet is finished with a matt lacquer, which resembles as much as possible to the look of an oiled parquet. The lacquer forms a film on the surface which seals the wood pores. Parquet lacquer is applied crosswise with a roller, diagonal across the direction of the wood fibre. 6 layers are applied and each layer is separately dried with UV.

The London collection is available in seven colours: Pure, Natural White, Cognac, Coffee, Skyline Grey, Wheat, Natural.




TECHNICAL INFORMATION

- » 190 x 630-1860 x 14 (3,5)mm
- » Three-layer parquet
- » Click system
- » Floating installation
- » Suitable for underfloor heating
- » Bona lacquer
- » Maintenance with Bona Wood Floor Cleaner and Bona Wood Floor Polish

Smoked oak boards for an intense look

This oak parquet undergoes a smoking process and is afterwards finished with a very high quality oil. The parquet boards are placed in the drying racks for 5 days to obtain a unique and intense look. Mexico complement both modern and in a rural interior. The Mexico collections suits both modern and classic interiors.





SMOKED PARQUET, A VISUAL SPECTACLE

The smoking process of parquet is a chemical reaction whereby the boards obtain intensity. After the application of the oil, this ensures a pleasing visual effect. This collection is rustic and full of character: a real eye-catcher.

OXIDATIVE OILED PARQUET

The application of the parquet oil happens in an artisanal way. Every board is manually oiled with a quality parquet oil. In order to achieve the look of an authentic oiled parquet, the oil is applied and afterwards wiped off until there is an optimum saturation of the wood fibres. In order to fix the colour, the boards are placed in the drying racks for 5 days, where they have the time to dry on completely natural way. The result is a board with pronounced wood grains, both in light and dark colours.

GLUE DOWN INSTALLATION

This tongue and groove flooring requires a glue down installation and is suitable for installation on underfloor heating systems. A glue down installation ensures optimal heat transfer from the heating system and also reduces running noise.

The Mexico collection is available in seven colors: Cotton White, Alpine, Natural, Slate, Biscuit, Charcoal.

TECHNICAL INFORMATION

- » 190 x 630-1860 x 15 (4)mm
- » Multi-layer parquet (multiplex carrier)
- » Tongue and groove
- » Glue down installation
- » Suitable for underfloor heating
- » Oxidative oil
- » Easy maintenance with Woca Natural Soap and Woca Oil Conditioner

Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS


Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk



Extra wide and long planks, for a grandiose effect

Wide and long planks fill up the room.... This light rustic oak flooring is a perfect match for both modern and rustic interiors. This collection a big success in the Fedyk range: with a total thickness of 20 mm and a solid oak top layer of 6 mm. This multi-layer parquet is a dream for those who like to invite nature in their home.





QUEEN PARQUET

The wood selection can be described as medium rustic with occasional knots. This oak parquet stands out for its remarkable dimensions. The boards have a great length of more than 2 m and the width of 22 cm reinforces the impressive effect.

OXIDATIVE OILED PARQUET

The parquet oil is applied in a traditional way: each board is manually treated with a high quality oil. The boards dry slowly during 5 days in drying racks. The result is an optimal saturated wood fiber and gorgeous colours.

GLUE DOWN INSTALLATION

This tongue and groove flooring is installed entirely glue down. The Queen collection is available in 10 colors: Cotton White, Havanna, Titanium, Natural, Slate, Smoke, Super White, Charcoal, Pure, Silver Grey.



Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS

Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk

TECHNICAL INFORMATION

- » 220 x 630-2080 x 20 (6)mm
- » Multi-layer parquet
- » Birch plywood carrier
- » Tongue and groove
- » Glued installation
- » Oxidative oil
- » Easy maintenance with Natural Soap and Woca Oil Conditioner



The beauty of nature underneath your feet!

Who doesn't dream of a real wooden floor? Often the costs are very high, so that it stays a dream. But now it's possible! Fedyk launches the Real collection: a rustic parquet with wide and long planks, which highlights the characteristics of the wood. Despite these characteristics, it is still an affordable floor. The multilayer boards come with a click system, which ensures a fast and easy installation.





Oiled rustic wooden floors are very fashionable and they merge perfectly with both modern and rustic interiors. The knots in the surface are not eliminated but highlighted instead, to create a warm atmosphere in the house. Parquet specialist Fedyk responds to that trend and creates Real, an authentic looking parquet collection that is very user-friendly.

BRING NATURE IN YOUR HOME

The wide and long boards of the Real collection give you the impression of having trees in your home. The large surfaces with a width of 19 cm provide nature the merited space to deploy all of her aspects. The four matte colours have each a particular appearance while still emphasizing the characteristics of the wood. The treatment with Woca-oil, a high-quality product, gives a unique finish to the brushed surface and ensures a long-lasting charm of the wood.



EASY DOES IT

You are looking for a nice wooden floor but you have a smaller budget? Then the Real collection is the perfect solution ! Thanks to the Drop Lock-click system, this floor is easy to install, which reduces the costs considerably.

The Real collection is available in light shades Natural, Pure, Unfinished and Smoked White and in darker shades Fleur de Sel and Smoked Biscuit.

TECHNICAL INFORMATION

- » Can be installed floated or glued down.
- » Suitable for underfloor heating (when glued)
- » The planks of the Real collection are 19 cm wide and 186 cm long.
- » V-bevel on four sides.
- » Matching skirting boards and profiles available.
- » Easy maintenance with WOCA soap, simply added to the cleaning water.

Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS

Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk



Affordable oiled oak parquet

This oak parquet is perfect for those who have a smaller budget, but don't want to leave aside the beautiful appearance. The boards have a natural colour variation, which gives character to the interior. The selected colours form a wide range of choice availabilities for every taste.





DETERMINED

The wood selection can be described as slightly rustic, with occasional knots. Especially the unpredictable colour variations determine the character of this collection. Scandinavia has a contemporary look, which allows partially the capriciousness of nature.

FEEL FREE TO SLEEP ON BOTH EARS

An oiled parquet is very easy to maintain and the best choice in the long term. Adding the right maintenance products to your cleaning water is all you need to do. Do you have a tough stain or scratch? It can still be restored locally.

The Scandinavia collection is available in five colours: White Oil, Natural Oil, Atlantic Oil en Pure.



TECHNICAL INFORMATION

- » 190 x 630-1860 x 15 (3,5)mm
- » Three-layer parquet
- » Tongue and groove
- » Glued installation
- » Suitable for underfloor heating
- » Oiled
- » Easy maintenance with Woca Natural Soap and Woca Oil Conditioner

Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS

Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk



Oak parquet with long and wide boards

This oak parquet with long and wide boards is finished with a hardwax oil: this finish provides a low gloss and a durable surface. This explicit rustic oak parquet fits well in a modern as well as a rural home.





SOLID OR 3-LAYER?

This parquet is available in a massive parquet board with a thickness of no less than 20mm (Notting-Hill), and also in a 3-layer structure (Structure). The look of these floorings is identical, only the base is different. Unlike the Notting-Hill collection, the Structure collection is suitable for installation on an underfloor heating system.


PARQUET WITH HARDWAX

A hardwax oil is made from vegetable oils and waxes. Hardwax provides a matt oiled look which ensures that the wood structure is still tangible. Furthermore, this finish is very durable with optimal protection against stains and dirt.

GLUE DOWN INSTALLATION

The tongue and groove flooring has to be installed glue down.

The collections Notting-Hill and Structure are available in six colours: Roche, Smog, Chocolat, Naturel, Vanill en Alpe.



Fedyk Trade LTD

33 Dynham Road, London
NW6 2NS

Mob: 0788 632 0292
Tel: 0208 599 2625

fedyktrade@gmail.com
www.fedyktrade.co.uk

TECHNICAL INFORMATION NOTTING-HILL

- » 185 x 500-220 x 20 mm
- » Solid parquet
- » Tongue and groove
- » Glue down installation
- » Hardwax oil
- » Not suitable for underfloor heating
- » Easy maintenance with Osmo Wash and Care and Liquid Wax Cleaner

TECHNICAL INFORMATION STRUCTURE

- » 185 x 500-220 x 15(4) mm
- » 3-layer parquet
- » Tongue and groove
- » Glue down installation
- » Hardwax oil
- » Suitable for underfloor heating
- » Easy maintenance with Osmo Wash and Care and Liquid Wax Cleaner

